



University of Chemistry and Technology, Prague  
Metrological and Testing Laboratory UCT Prague

Testing laboratory No. 1316.2 accredited by the CAI according to the EN ISO/IEC 17025:2018



Address: VSCHT Praha, Technická 1905/5, 166 28 Prague 6, Czech Republic (tel.: +420 602833424; +420 220443184; <http://uapv.vscht.cz/mzl>)

## Test certificate ML: 286/21

print no.: ENG\_122/21

Client: amazing leaves s.r.o.

Rybná 716/24  
11000 Praha - Praha 1  
eská republika

Sample received: 4.2.2021

Order no.: 4.2.2021

Sample description (client's): Prášek z list rostliny Mitragyna Speciosa

Testing item: plant material  
packaging: paper bag  
quantity: 100 g

Date of testing: 04.02.2021 - 26.02.2021

Location of testing: facilities of the MZL UTC, Technická 1903/3, 166 28 Prague 6 - Dejvice

Testing methods used: KM 15: HRMS

### TEST RESULTS:

#### RESULTS GIVEN IN THE APPENDIX

Analyte	Result*	Expanded uncertainty	Unit	Testing method	Notice
Screening - identification of substance	proved	-		KM 15	

\* the sign "<" indicate that concentration is lower than this value, i.e. below limit of quantitation (LOQ)

### Specification used for the assessment of test results:

Expanded uncertainty was calculated using coverage factor  $k = 2$  corresponding to a coverage probability of approximately 95%.

Uncertainty was calculated and stated according to the EA-4/16 and manual Kvalimetrie 11 (issued by EURACHEM CZ). Uncertainty of sampling is not covered. Compliance is evaluated with respect to the uncertainty of test result according to the Guide ILAC-G8.

The results given herein apply only to the sample as received. This certificate shall not be reproduced except in full, without written approval of the Laboratory. The certificate does not substitute any other legal document. Laboratory is not responsible for information supplied by customer, if such information can affect the validity of results.

Appendix: No.1 (5 pages) is an integral part of the Test certificate

Date of issue: 26.2.2021

Prof. Dr. Jana Hajšlová, head of the laboratory

*The end of Certificate*